

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



PATENT
3372-0116P

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicant: Per-Ake MINBORG et al. Conf.: 3666
Appl. No.: 10/776,500 Group:
Filed: February 12, 2004 Examiner:
For: METHOD AND APPARATUS FOR EXCHANGE OF
DATA OBJECTS BETWEEN NETWORK NODES
DEPENDING ON TERMINAL CAPABILITY

L E T T E R

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

May 18, 2004

Sir:

Under the provisions of 35 U.S.C. § 119 and 37 C.F.R. § 1.55(a), the applicant(s) hereby claim(s) the right of priority based on the following application(s):


<u>Country</u>	<u>Application No.</u>	<u>Filed</u>
SWEDEN	0102729-1	August 15, 2001

A certified copy of the above-noted application(s) is(are) attached hereto.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fee required under 37 C.F.R. §§ 1.16 or 1.17; particularly, extension of time fees.

Respectfully submitted,

BIRCH, STEWART, KOLASCH & BIRCH, LLP

By 
Michael K. Mutter, #29,680

MKM/apw
3372-0116P

P.O. Box 747
Falls Church, VA 22040-0747
(703) 205-8000

Attachment(s)

PRV

PATENT- OCH REGISTRERINGSVERKET
Patentavdelningen

Atty. daktet: 3372-0116 P

Appln. No.: 10/776, 500

Filing Date: 02/12/2004

Inventors: Per-Ake MINBORG et al.
Birch, Stewart, Kolasch & Birch, LLP
(703) 205-8000

Intyg Certificate

Härmed intygas att bifogade kopior överensstämmer med de handlingar som ursprungligen ingivits till Patent- och registreringsverket i nedannämnda ansökan.

This is to certify that the annexed is a true copy of the documents as originally filed with the Patent- and Registration Office in connection with the following patent application.

(71) Sökande The Phone Pages of Sweden AB, Göteborg SE
Applicant (s)

(21) Patentansökningsnummer 0102729-1
Patent application number

(86) Ingivningsdatum 2001-08-15
Date of filing

Stockholm, 2004-02-25

För Patent- och registreringsverket
For the Patent- and Registration Office



Hjordis Segerlund

Avgift
Fee 170:-

P67 P10 sc SPB

2001-08-15

Method and Apparatus for Exchange of Information in a Communication Network

5

FIELD OF THE INVENTION

The present invention relates generally to a method and apparatus for exchanging information in a communication system. More specifically, the invention relates to a method and an apparatus which enables exchanging information such as phone pages between different types of terminals in a communication network such as a public or private telecommunication network.

10

BACKGROUND TO THE INVENTION

The present evolution of data-communication is such that more and more users gain access to the internet worldwide. Internet has become both a source of knowledge but also a market place for business, and it is attracting more and more users. Currently there is a high pressure on the data-communications industry to provide solutions that allow everyone to gain access to the internet. Broadband solutions are continuously developed and both local as well as national access networks are planned and launched. The presently most common method of modem access through the telecommunications network (e.g., the Public Switched Telecommunication Network, PSTN provider) is being replaced by other ways of access, with a possibility to higher data rates, e.g., through electric power lines or cable TV.

25

At the same time, the telecommunications industry is struggling another battle, that of providing mobility to each and every user. Traditionally, telecommunication has been focused on voice communication. With the increase of data communication however, other demands are arising (e.g., higher data rate transfer), but also new possibilities. Evolutions of mobile systems are presently in a period when more and more packet-based systems will be deployed.

30

2001-08-15

The data-communication run over the telecommunications networks today is usually initiated by an access to an Internet- or a mail server. A user can dial a modem pool and is therefrom connected to a server, from which access can be made to both local as well as global networks. Browsers like e.g., Microsoft Explorer or Netscape Navigator are used to navigate on the internet and switch between internet pages or addresses. Users can design their own data objects, homepages, on an internal or external network that provides personal information or any other kind of information. Once connected to the data network a user may access these data objects by entering the correct address. The address is often selected by combining a node name in the network (e.g. server name) and an arbitrary text-string. Typically, it is not trivial to find a desired data object, since the text strings and server names are not obvious.

Addressing in a telecommunications network, e.g., when engaging in a voice or data communication is usually performed by entering a telephone number on a User Equipment (UE), like a mobile telephone or a terminal with a facsimile functionality. A telephone number is a, world-wide, unique addressing string. A calling party (A-party) dials the addressing string (B-number) to the called party (B-party). Dependent on what type of network the A-party is a subscriber on, the call request is routed through one or several public telecommunication networks to the correct addressee and the communication may begin. Other unique addressing strings are for example email addresses, IPv4 addresses, IPv6 addresses, and sip (session initiation protocol) addresses.

There has lately been a merger between the data object handling of the internet and the simplicity of use of telecommunication networks. This has evolved partly because there is a problem in the present way of accessing the internet for specific data objects due to the non-obvious way of addressing data objects, and partly by a desire of the telecommunications industry to provide a simpler way of accessing data objects from telecommunication terminals than having to dial a modem number where the user is left on her own to retrieve a desired homepage or data object. This merger has resulted in systems where an A-party can retrieve data objects, also called phonepages, by the use of a simple unique identifier of a B-party, such as a dialed B-

2001-08-15

Huvudfaxen Kossan

party number, an internet address such as an email address, an IPv4 address, a sip address, or an IPv6 address. The systems that accomplish this simple data retrieval have either network functionality or terminal functionality for the data object retrieval. Unfortunately these systems are not compatible.

5

SUMMARY OF THE INVENTION

An object of the invention is to enable a system of coexistence on the same network of terminals/telephones of the client based data object retrieval type and of terminals/telephones of the network based data object retrieval type.

10

The aforementioned objects are also achieved according to the invention by a method of providing data objects to user communication applications or terminals of subscribers in connection with subscribers establishing communication events with other subscribers. This in a network comprising both subscribers with autonomous type user communication applications or terminals that comprise functionality for client based retrieval of data objects and also subscribers with network type user communication applications or terminals that rely on functionality in the network to provide for retrieval of data objects. According to the invention the method comprises a plurality of steps. In a first step a type of user communication application or terminal is associated with at least some subscribers of the network. In a second step, an occurrence of a triggering event indicating a communication event between two subscribers is determined. And in a third step upon determination of a triggering event, the network provides data object retrieval only to the subscribers with network type user communication applications or terminals.

25

The method can further suitably comprises the step of associating a user communication application or terminal capability with subscribers of the network, and that the step of the network providing data object retrieval only to the subscribers with network user communication applications or terminals, provides data retrieval in view of an associated user communication application or terminal capability of the subscriber.

30

Huvudfaxen Kassan

The method can suitably further comprises a number of steps. In a first additional step a functionality type of network is associating with at least one other network, if the other network comprises a functionality according to the first three steps. And in a second additional step determining if a subscriber involved in the communication event belongs to another network or not and if the subscriber belongs to another network, then determining if that network is associated with the functionality type of network, and if it is then letting that other network provide for the functionality according to the first three steps. Additionally the second additional step can alternatively determine if a subscriber involved in the communication event belongs to another network or not and if the subscriber belongs to another network, then determine if that network is associated with the functionality type of network, and if it is not, then the network is providing data object retrieval to the subscriber in question.

Advantageously the method can further comprise the step of only providing data objects of a text nature or of an audio nature to subscribers belonging to other networks.

In some versions of the invention the step of the network providing data object retrieval further comprises the steps of:

- requesting a phone page number service to determine a phone page web server;
- requesting a data object of the phone page web server;
- providing the data object received from the phone page web server to the subscriber in question.

In other versions of the invention the step of the network providing data object retrieval further comprises the steps of:

- requesting a data holder to provide a data object to the subscriber in question.

2001-08-15

Huvudfaxen Kassan

One or more of the features of the above-described different methods according to the invention can be combined in any desired manner, as long as the features are not contradictory.

5

The aforementioned objects are further achieved in accordance with the invention by a filtering server of a communication network arranged to provide data objects to user communication applications or terminals of subscribers in connection with subscribers establishing communication events with other subscribers. The communication network comprises both subscribers with autonomous type user communication applications or terminals that comprise functionality for client based retrieval of data objects and also subscribers with network type user communication applications or terminals that rely on functionality in the network to provide for retrieval of data objects. According to the invention the filtering server is arranged to associate a type of user communication application or terminal with subscribers of the network. The filtering server is further arranged to determine an occurrence of a triggering event indicating a communication event between two subscribers. And the filtering server is also arranged to upon determination of a triggering event, to provide data object retrieval only to the subscribers with network type user communication applications or terminals.

20

Different embodiments of the filtering server according to the invention can also be reached according to additional features mentioned above in connection with the description of the method according to the invention. The features of the above-described different embodiments of a filtering server according to the invention can be combined in any desired manner, as long as no conflict occurs.

25

The aforementioned objects are further achieved in accordance with the invention by a filtering server of a telecommunications network to provide data object retrieval to one or more subscribers of the telecommunications network. According to the invention the filtering server is arranged to intercept call set-up control for bearer channels between a caller and a callee. Further arranged to determine a caller and a

30

Huvudfaxen Kassan

- caller profile. And also arranged to arrange for a callee data object to be made available to caller if the caller profile indicates filtering server retrieval of the callee data object. Further arranged to allow the caller to arrange for retrieval of the callee data object if the caller profile indicates caller retrieval of callee data object. Also
- 5 arranged to determine the callee and if the callee is a subscriber of the telecommunications network. Also arranged to determine a callee profile if the callee is a subscriber of the telecommunications network. And arranged to arrange for a caller data object to be made available to the caller if the callee is a subscriber of the telecommunications network and if the caller profile indicates filtering server
- 10 retrieval of caller data object. And finally arranged to allow the callee to arrange for retrieval of the caller data object if the callee is a subscriber of the telecommunications network and if the callee profile indicates callee retrieval of caller data object.
- 15 The invention provides many more advantages over prior art system, some more which will be disclosed in further detail below.

BRIEF DESCRIPTION OF THE DRAWINGS

- The invention will now be more thoroughly described in more detail for explanatory, and in no sense limiting, purposes and features and advantages will become readily
- 20 apparent by the following detailed description, where references will be made to the accompanying figures, where:

- Figure 1 illustrates a schematic overview of a system with network based data
- 25 object/phone page retrieval;
- Figure 2 illustrates a schematic overview of a system with terminal based data object/phone page retrieval;
- 30 Figure 3 illustrates a schematic overview of a system with multi-type data object/phone page retrieval according to the invention;

- Figure 4 illustrates a flow chart of a basic method of a filter server according to the invention;
- 5 Figure 5 illustrates a flow chart of a first method of making a data object available to a subscriber according to the invention, being a possible extension of the fourth step of figure 4;
- 10 Figure 6 illustrates a flow chart of a second method of making a data object available to a subscriber according to the invention, being a possible extension of the fourth step of figure 4;
- Figure 7A illustrates a first version event graph of the flow chart according to figure 5, between a subscriber, a filter server, a PNS, and a PWS;
- 15 Figure 7B illustrates a second version event graph of the flow chart according to figure 5, between a subscriber, a filter server, a PNS, and a PWS;
- Figure 8 illustrates a version of an event graph of the flow chart according to figure 6, between a subscriber, a filter server, and a yellow pages server/provider;
- 20 Figure 9 illustrates a flow chart of an alternative method of making a data object available to a subscriber according to the invention, being a possible extension of the fourth step of figure 4,;
- 25 Figure 10 illustrates a flow chart of an still another alternative method of making a data object available to a subscriber according to the invention, being a possible extension of the fourth step of figure 4;
- 30 Figure 11 illustrates a flow chart of a basic method of a filter server according to the invention;

2001-08-15

Huvudfaxen Kassan

DETAILED DESCRIPTION

The invention deals with the retrieval of data objects, or so called phone pages. The retrieval of data objects according to the invention is based on providing an association between address indications such as telephone numbers to a data object/phone page. A data object can also comprise an internet address pointing to another data object which is the desired phonepage. When a user dials a telephone number, an internet address associated with for example the telephone number, is automatically obtained and the content located at the internet address (i.e. the phonepage) is automatically downloaded and displayed on the user's telephone. At the same time, the user's own phonepage will be downloaded and displayed on the called party's telephone. Besides being associated with a telephone number (possibly both the owner's and also the requester's, giving a possibility to send different phonepages in dependence of who is requesting/receiving them), a phonepage is also associated with a particular event. Examples of such events are when the user dials a telephone number, answers a call, receives an incoming call or when a dialed number is busy. A user can have several different phonepages, each associated with one or several events. This allows a user to provide different types of information to other users depending on the situation. One useful example is the possibility for a user to provide additional information (such as an e-mail address) if he or she is busy or does not answer. In short the data object retrieval according to the invention can be exemplified by:

- A phonepage event occurs, e.g. a user dials a number on a telephone, e.g. a mobile phone. The mobile phone automatically sends a request to a phonepage number server asking for the internet address (i.e. the location of the phonepage) associated with the dialed phone number.
- The phonepage number server uses the telephone number together with other parameters to look up the internet address in a database.
- When the mobile phone receives the location of the phonepage, a browser, or an equivalent functionality, is launched and a request to retrieve the information at the internet address is sent.
- The phonepage content is downloaded to the mobile terminal.

According to another aspect of data object/phone page retrieval according to the present invention a phonepage can be associated with an internet address such as an IPv6 address, sip address or an email address. For example, an A-party, upon setting up a communication link with a web-page to a thermostat of his or her summer house to thereby control/check the temperature, will receive a data object which, for example, identifies the thermostat and comprises a link to the manufacturers home page, and/or other communication means to the manufacturer. In another example, an A-party desires to set up a conference call by means of a conference telephone located in a conference room. Upon initiation of the communication, the A-party will receive a data object which is linked to the conference telephone by means of its telephone number, http address or IP address. The data object, the conference telephone's phonepage, can suitably comprise information concerning the locality of the conference phone, the size of the conference room, and/or a booking schedule. In still another example, an A-party desires to transfer a facsimile. Upon choosing or initiating transmission to a fax-machine, the phonepage of the fax machine is requested and returned to the A-party. A phonepage of a fax machine might comprise information concerning the locality of the fax, whose fax machine it is, and/or who has access to the fax machine. In still a further example, an A-party desires to transfer an email to a B-party. Then, upon choosing or writing the email address, i.e. perhaps even before a message is composed, the phonepage of the email address is requested and returned to the A-party. A phonepage of an email address might comprise information concerning the owner, the B-party user, of the email address, other means of communication with the owner, and/or schedule or availability of the owner. A phonepage is a data object that is linked to a unique identifier such as a telephone number or an internet address such as an IPv6 address, but not located or retrieved from the place that the unique identifier identifies.

In order to clarify the method and the system according to the invention, some examples of its use will now be described in connection with figures 1 to 10. Figure 1 and figure 2 disclose two different manners in which retrieval of data objects have been done. Figure 1 discloses a network based data object retrieval method and figure 2 discloses a terminal based data object retrieval method

Figure 1 shows a schematic overview of a system with network based data object/phone page retrieval. In this system a communication network 100, such as a telecommunication network possibly including a data network, can establish a communication link between a first terminal/telephone 110 and a second terminal/telephone 120. Each terminal/telephone 110, 120 also comprises a data object/phone page interface 111, 121, to enable reception of and provide a user interface to data objects/phone pages. In a network based retrieval system, an application/server 180 for network based access is provided somewhere in the communication network 100. The application/server 180 for network based access will intercept events of the terminals 110, 120 that will invoke a request for a phone page. The application/server 180 for network based access will then request a phone page from a phone page number service (PNS) 190, which will either provide the location of the phone page at a phone page web server (PWS) 191 in which case the application/server 180 for network based access will request the phone page at the PWS 191, or the PNS 190 will directly request a phone page at the PWS 191 to be sent to the application/server 180 for network based access. The application/server 180 for network based access will then forward the phone page to the appropriate terminal/telephone 110, 120 to be accessed by a user via the user interface 111, 121.

20

For example, if a user at the first terminal 110 (A-party) dials the number to the second terminal 120 (B-party), then the application/server 180 for network based access is able to intercept the event of setting up a call from the first terminal 110 to the second terminal 120 as soon as it is visible in the communication network 100. The application/server 180 for network based access can then provide retrieval of the second terminal's 120 phone page to the first terminal 110, and provide retrieval of the first terminal's 110 phone page to the second terminal 120, by means of the PNS 190 and the PWS 191. A network based access will always provide phone page retrieval under predetermined circumstances, independently of the type of terminal.

30

Figure 2 shows a schematic overview of a system with terminal based data object/phone page retrieval. As disclosed above, a first terminal/telephone 210 can

be connected to a second terminal/telephone 220 via a communication network. In a system with terminal based data object/phone page retrieval, each terminal 210, 220 not only has to have a data object/phone page interface 211, 221 but also a terminal application 212, 222 for phone page retrieval. A terminal based data object retrieval system could be described as being more sensitive to events, since the events that trigger the retrieval of a data object only has to be visible within a terminal in question and not also be visible in the communication network as is the case of the network based data object retrieval system. A terminal based data object retrieval system will not need any network functionality for data object retrieval, but only a PNS 290, and a PWS 291.

For example, if a user looks in the phone book of a terminal 210, 220, the terminal application 212, 222 could be triggered by the event of a user looking at a name in the phone book for more than a set time. When the terminal application 212, 222 is triggered to retrieve the phone page of that person that corresponds to the name, it will first issue a PNS request to the PNS 290, and then possibly a PWS request to the PWS 291, if this is not done by the PNS 290, to thereby receive a phone page from the PWS 291. A terminal without a terminal application for phone page retrieval will not be able to get any phone pages in such a system.

Figure 3 shows a schematic overview of a system with multi-type data object/phone page retrieval according to the invention. The communication network 300 onto which terminals/telephones 310, 320, 330, 340, 350, 360 are connected can be of a similar type as those described above, with a PNS 390, and a PWS 391 hooked on as well. The communication network can be a telecommunications system based on GSM as a circuit switched communication system and/or GPRS as a packet switched communications system. It should however be noted that the embodiments described are to be considered exemplary and that other packet and/or circuit switched systems may equally well be considered for both data and voice communication. Voice communication, email communication, fax access, and HTTP downloading can be transported over circuit switched as well as packet switched systems. Both fixed as well as mobile circuit and packet switched systems with any suitable access

technology, e.g., Time Division Multiple Access (TDMA), Code Division Multiple Access (CDMA), Frequency Division Multiple Access (FDMA), Orthogonal Frequency Division Multiple Access (OFDMA), Time Division Duplex (TDD), Frequency Division Duplex (FDD) or any combinations thereof can be used. The invention is not restricted to any specific type of communications network or access technology. The desired communication to be set-up can be either voice or data, e.g. to a facsimile or a data access to an IPv6 addressable device such as a thermostat. An A-party and a B-party can, for example, access and be accessed by a telephone number, an email address, an IPv4 address, a sip address, or an IPv6 address.

10

In a system according to the invention an A-party can be either a simple terminal/telephone 310, sometimes referred to as a plain old telephone (POT), a terminal/telephone 320 with only a data object interface 321, i.e. a terminal 320 intend to be connected to a network with network based data object retrieval, or a terminal 330 with both a data object interface 331 and a terminal application 332 for data object retrieval. A B-party can likewise be either a simple terminal/telephone 340, a terminal/telephone 350 with only a data object interface 351, i.e. a terminal 350 intend to be connected to a network with network based data object retrieval, or a terminal 360 with both a data object interface 361 and a terminal application 362 for data object retrieval. The terminals/telephones 310, 320, 330, 340, 350, 360 may for example be anything from plain old telephones with or without extra functionality, to different versions of mobile telephones, mobile telephones connected to any kind of data equipment, e.g., Personal Digital Assistance Devices (PDA) or Laptop computer, facsimile- or data modem devices, ISDN terminals or communication devices connected via a Digital Subscriber line (DSL)- (e.g. ADSL, HDSL and XDSL). Terminals/telephones, like mobile telephones, are today developed to handle both packet switched and circuit switched communication simultaneously. These are generally referred to as class A mobile terminals. Other mobile terminal design allows packet switched and circuit switched communication alternatively, i.e., no simultaneous packet switched and circuit switched transmission and reception. These are generally referred to as class B mobile terminals.

30

Huvudfaxen Kassan

According to the invention a filtering server (FS) 385 is also connected to the communication network. The filtering server 385 makes sure that subscribers of the communication network 100 will get phone pages if desired, to their equipment, independently if it is of a simpler nature 310, 320, 340, 350 that relies on network based phone page retrieval or of a more advanced nature 330, 360 that comprises terminal based phone page retrieval. The filtering server 385 comprises at least a list of subscribers that desire network based phone page retrieval. If the filtering server 385 receives a triggering event, it will search to see if the originator of the triggering event is listed as a subscriber that desires network based phone page retrieval or not.

10 If the subscriber is listed as a subscriber that desires network based phone page retrieval, then the filtering server 385 will provide the retrieval for the subscriber, otherwise not. In one version of the invention the filtering server 385 comprises a profile for subscribers that desire to be supported by the filtering server. The profile can for example also include the capabilities of the subscriber's terminal. The subscriber might only have a plain old telephone 310, 340 in which case the phone pages need to be converted to audio before being transferred to the subscriber. There might be other restrictions, such as graphic capabilities or a text only capability, such as SMS. Those subscribers that have terminal based phone page retrieval terminal equipment will provide for their own retrieval. This can be in a subscriber's profile

15 at the filtering server, or if the subscriber is not listed at all, then the subscriber is left alone by the filtering server. The filtering server 385 or another unit on the network such as the PNS 390, can monitor terminal based phone page retrievals and thus provide the filtering server with the subscribers that have been monitored to have terminal based phone page retrieval.

25

Figure 4 shows a flow chart of a basic method of a filter server according to the invention. In a first step 410 subscribers of the network are associated with a type of user communication application that their terminals have, typically none, network based or terminal based. To be noted, only subscribers that desire the assistance of the filtering server need to be associated with a type of user communication application that their terminals have. Then in a second step 420 it is determined if there is a communication event trigger or not. If there is not, then the procedure

30

waits until one is detected. If there is an event trigger, then in a third step 430 it is determined if a subscriber involved with the communication event trigger is associated with a network user communication application or not. If the subscriber in question is associated with a network user communication application then in a fourth step 440 data object retrieval is provided to the terminal of the subscriber. In some versions, also those subscribers with no user communication application will be supported if desired, however, the data object will have to be adapted before it is provided to the terminal of the subscriber.

Figure 5 shows a flow chart of a first method of making a data object available to a terminal of a subscriber according to the invention, this is suitably an extension of the fourth step 440 of figure 4. In a first substep 541 of the fourth step 440 a PNS request is made. Then in a second substep 543 a PWS request is made. And finally in a third substep 545 a data object is pushed to the terminal of the subscriber by PWS or PNS.

In an enhancement of the invention, a method called direct access (DA) may be used for retrieval of a data object. Figure 6 shows a flow chart of a second method of making a data object available to a subscriber according to the invention using direct access. This method is suitably also an extension of the fourth step 440 of figure 4. In a first substep 647 of the fourth step 440 a direct access (DA) request is made. Then in a second substep 648 a data holder to which the direct access was made pushes a data object directly to a terminal of the subscriber. A data holder is provided with all the information needed to directly provide a subscriber with a correct phone page.

To clarify the different methods figures 7A, 7B and figure 8 will illustrate event graphs of the methods of making a data object available. Figure 7A shows a first version event graph of the flow chart according to figure 5, between a subscriber, a filter server (FS), a PNS, and a PWS. In a first event 720 initiated by a subscriber, a communication event trigger is supplied to the FS. The first event 720 corresponds to the second step 420 of figure 4. In a second event 741 at the FS in response to the

2001-08-15

Huvudfaxen Kassan

first event, a PNS request is supplied to the PNS. The second event 741 corresponds to the first substep 541 of figure 5. Then in a third event 742 at the PNS in response to the second event, the PNS supplies a PWS identity and address to the FS. Thereafter in a fourth event 743 at the FS in response to the third event, a PWS request is supplied to the PWS. The fourth event 743 corresponds to the second substep 543 of figure 5. Then at a fifth event 744 at the PWS in response to the fourth event, a data object is supplied to the FS. And finally at a sixth event 745 at the FS in response to the fifth event, the data object is pushed to a terminal of the subscriber directly or via another node such as a WAP gateway. The sixth event 745 corresponds to the third substep of figure 5. In some versions, the PWS may push the data object to the subscriber either directly or via another node such as a WAP gateway.

Figure 7B shows a second version event graph of the flow chart according to figure 5, between a subscriber, a filter server, a PNS, and a PWS. In a first event 720 initiated by a subscriber, a communication event trigger is supplied to the FS. The first event 720 corresponds to the second step 420 of figure 4. In a second event 741 at the FS in response to the first event, a PNS request is supplied to the PNS. The second event 741 corresponds to the first substep 541 of figure 5. Then in a third event 743 at the PNS in response to the third event, a PWS request is supplied to the PWS. The third event 743 corresponds to the second substep of figure 5. Then in a fourth event 744 at the PWS in response to the third event, a data object is supplied to the FS. And finally in a fifth event 745 at the FS in response to the fourth event, the data object is pushed to the subscriber directly or via another node such as a WAP gateway. The fifth event 745 corresponds to the third substep 545 of figure 5. In some versions, the PWS may push the data object to the subscriber either directly or via another node such as a WAP gateway.

Figure 8 shows a version of an event graph of the flow chart according to figure 6, between a subscriber, a filter server, and as an example a yellow or white pages server/provider as a data object holder. In a first event 820 caused by a subscriber, a communication event trigger is supplied to the FS. The first event 820 corresponds

to the second step 420 of figure 4. Then in a second event 847 at the TS in response to the first event, a direct access (DA) yellow pages (YP) request is supplied to the YP. The second event corresponds to the first substep 647 of figure 6. And finally in a third event 848 at the YP in response to the second event, the data object is pushed to the subscriber. The third event 848 corresponds to the second substep 648 of figure 6.

Figure 9 shows a flow chart of an alternative method of making a data object available to a subscriber according to the invention, the subscribers having different reception capabilities, which can be that a terminal can only receive sound, or possibly only text. These differences are suitably noted in association to the profile of each subscriber. The method is a possible extension of the fourth step 440 of figure 4. In a first substep 941 a PNS request is made. Then in a second substep 942 a PWS request is made. Thereafter in a third substep 943 it is determined if the subscriber has a limited subscriber reception capability, i.e. is, for example, reception limited to SMS. If the subscriber is noted as having a limited reception capability, then in a fourth substep 944 the data object is adapted to suit the limited reception capability of the subscriber. This adaptation can for example be to audio for a plain old telephone. Thereafter the adapted data object is pushed to the subscriber in a fifth substep 945. On the other hand, if there is no limitation to the reception capability, then the data object is pushed to the subscriber in the fifth substep 945 without any adaptation of it. This adaptation can either be performed by the TS, the PWS or the PNS.

Catering to different terminals/telephones with different capabilities can be solved in different ways. An alternative method according to the invention is to collect data objects at different sources to thereby provide for, for example, a distinction between text based and graphic based data objects. This can in some situations be favorable in comparison to having to try and adapt a data object/phone page. This method also allows a subscriber to indicate that he or she only desires phone pages from a specific source. Sometimes a user might only benefit from a simpler data object since data transmission to the terminal is limited. Figure 10 shows a flow chart of this method

which is a still another alternative method of making a data object available to a subscriber according to the invention. This method is also a possible extension of the fourth step 440 of figure 4. In a first substep 1041 it is determined if the subscriber is noted as having a limited subscriber reception capability, i.e. is, for example, reception limited to SMS, or if the subscriber desires, or has a preference, of having a data object retrieved from a particular source. If the subscriber is noted as having a limited reception capability or a specific desire for a simpler or particularly sourced data object, then the procedure continues with a second substep 1042 which make a DA request. Then in a third substep 1043 a data holder pushes a data object to a terminal of the subscriber. On the other hand, if the subscriber is not noted as having a limited reception capability, then the procedure continues with a fourth substep 1044 which makes a PNS request. Then in a fifth substep 1045 a PWS request is made. And finally in a sixth substep 1046 the data object is pushed to a terminal of the subscriber.

15

Figure 11 shows a flow chart of another basic method of a filter server according to the invention. This method involves the possibility that a subscriber might not belong to the capture area, i.e. the subscriber belongs to a different network for example. It is then possible in some versions of the invention that the filtering server is aware of, i.e. has a list of, which other network have filtering servers. Subscribers belonging to networks that have a filtering server will be supported by their own filtering server. Subscribers belonging to networks without a filtering server can be supported by another filtering server, i.e. the filtering server of the network that a subscriber with whom contact is made. This decision for support of external subscribers can for example be based on the unique identifier, such as the telephone number which might give some indication of terminal capability, i.e. to see if it is a mobile telephone which most likely has SMS support at least. In some version there will never be given support to external subscribers, and in some version support will be given but only in the form of audio, which most likely at least all telephones will be compatible with. In a first step 1110 subscribers of the network of this FS are associated with a type of user communication application, typically none, network based or terminal based. This will suitably only be performed once and then updated

30

as new subscribers are added and when the characteristics of a subscriber changes. In a second step 1120 it is determined if there is a communication event trigger or not. If there is none, then the procedure will wait here, otherwise the procedure will continue with a third step 1130. The third step 1130 determines if a subscriber

5 involved with the communication event trigger belongs to the network of this FS or not. If the subscriber in question belongs to this FS then in a fourth step 1140 it is determined if the subscriber is noted to be equipped with a network user communication application or not. If the subscriber is noted to be equipped with a network user communication application then in a fifth step 1150 a data object

10 retrieval is provided to the subscriber after which the procedure continues with the second step 1120, otherwise the procedure directly returns to the second step 1120. If in the third step 1130 it was determined that the subscriber did not belong to this FS, then the procedure continues with a sixth step 1160. The sixth step 1160 determines if the network of the external subscriber has an FS or the equivalent

15 functionality, or if it cannot be determined if the network of the external subscriber has an FS or not. If the subscriber network has an FS then the procedure continues with the second step 1120. If the subscriber network does not have an FS or if it cannot be determined if the network of the external subscriber has an FS or not, then the procedure continues with a seventh step 1170. The seventh step 1170 determines

20 if a data object retrieval should be provided to external subscriber or not. This determination can for example be based on the type of network that the subscriber belongs to and/or if and how the subscriber in question is listed in a PNS or not. If the network that the subscriber in question belongs to is an advanced intelligent network (AIN) then there could be a possibility that the network provides network

25 based access, and if the subscriber is in a PNS this could be an indication that the subscriber in question has terminal based retrieval. If it is determined that a data object retrieval should be provided, then the procedure continues with the fifth step 1150, otherwise the procedure continues with the second step 1120.

30 The present invention can be put into apparatus-form either as pure hardware, as pure software or as a combination of hardware and software. If the method according to the invention is realized in the form of software, it can be completely independent or

it can be one part of a larger program. The software can suitably be located in a general-purpose computer or in a dedicated computer. The FS and one PNS can for example be one physical entity, or the FS, one PNS and one PWS can be in one physical entity, or the FS and one or more of PNS:s and PWS:s are physically
5 separate units.

As a summary, the invention can basically be described as a method and a system which provide means to enable terminal equipment that relies on network based retrieval of data objects and terminal equipment that comprises data object retrieval
10 capability, to coexist and interact with each other on the same communication network. This is accomplished by a filtering server on the network that at least knows which terminals require network based retrieval and only gives these terminals network based data object retrieval. The invention is not limited to the embodiments described above but may be varied within the scope of the appended
15 patent claims.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

P67 P10sc SPB

2001-08-15

FIG 1 a schematic overview of a system with network based data
5 object/phone page retrieval,
100 communication network,
110 a first terminal/telephone,
111 data object/phone page interface of first terminal/telephone,
120 a second terminal/telephone,
10 121 data object/phone page interface of second terminal/telephone,
180 application/server for network based access,
190 PNS - PhonePage Number Service which handles phonepage requests,
possibly retrieval of concerned phonepage, and optionally
downloading of the information to the involved terminals,
15 191 PWS - PhonePage Web Servers where phonepages are stored and
managed.

FIG 2 a schematic overview of a system with terminal based data
object/phone page retrieval,
20 200 communication network,
210 a first terminal/telephone,
211 data object/phone page interface of first terminal/telephone,
212 terminal application of first terminal/telephone for phone page
retrieval,
25 220 a second terminal/telephone,
221 data object/phone page interface of second terminal/telephone,
222 terminal application of second terminal/telephone for phone page
retrieval,
290 PNS - PhonePage Number Service which handles phonepage requests,
30 possibly retrieval of concerned phonepage, and optionally
downloading of the information to the involved terminals,

291 PWS - PhonePage Web Servers where phonepages are stored and managed.

FIG 3 a schematic overview of a system with multi-type data object/phone
5 page retrieval according to the invention,
300 communication network,
310 a first terminal/telephone,
320 a second terminal/telephone,
321 data object/phone page interface of second terminal/telephone,
10 330 a third terminal/telephone,
331 data object/phone page interface of third terminal/telephone,
332 terminal application of third terminal/telephone for phone page
retrieval,
340 a fourth terminal/telephone,
15 350 a fifth terminal/telephone,
351 data object/phone page interface of fifth terminal/telephone,
360 a sixth terminal/telephone,
361 data object/phone page interface of sixth terminal/telephone,
362 terminal application of sixth terminal/telephone for phone page
20 retrieval,
385 FS - filtering server according to the invention, keeps track of
different types of terminals in the network
390 PNS - PhonePage Number Service which handles phonepage requests,
possibly retrieval of concerned phonepage, and optionally
25 downloading of the information to the involved terminals,
391 PWS - PhonePage Web Servers where phonepages are stored and
managed.

FIG 4 a flow chart of a basic method of a filter server according to the
30 invention,

- 410 a first step of associating subscribers of the network with a type of user communication application, typically none, network based or terminal based,
- 420 from the first step, or from the fourth step, or no from the second step,
- 5 or no from the third step: a second step, which determines if there is a communication event trigger or not,
- 430 yes from the second step: a third step, which determines if a subscriber involved with the communication event trigger is with a network user communication application or not,
- 10 440 yes from the third step: a fourth step, which provides data object retrieval to subscriber with a network user communication application,
- FIG 5 a flow chart of a first method of making a data object available to a subscriber according to the invention, being a possible extension of
- 15 the fourth step of figure 4,
- 541 a first substep making a PNS request,
- 543 from the first substep: a second substep, which makes a PWS request,
- 545 from the second substep: a third substep, in which a data object is pushed to subscriber.
- 20
- FIG 6 a flow chart of a second method of making a data object available to a subscriber according to the invention, being a possible extension of
- the fourth step of figure 4,
- 647 a first substep making a DA request,
- 25 648 from the first substep: a second substep, in which a data holder pushes data object to subscriber.
- FIG 7A a first version event graph of the flow chart according to figure 5, between a subscriber, a filter server, a PNS, and a PWS,
- 30 720 a first event caused by a subscriber, of the second step according to figure 4, a communication event trigger is supplied to the FS,

- 741 a second event at the FS in response to the first event, of the first
substep of figure 5, a PNS request is supplied to the PNS,
- 742 a third event at the PNS in response to the second event, the PNS
supplies a PWS identity to the FS,
- 5 743 a fourth event at the FS in response to the third event, of the second
substep of figure 5, a PWS request is supplied to the PWS,
- 744 a fifth event at the PWS in response to the fourth event, a data object
is supplied to the FS,
- 745 a sixth event at the FS in response to the fifth event, of the third
10 substep of figure 5, the data object is pushed to the subscriber.
- FIG 7B a second version event graph of the flow chart according to figure 5,
between a subscriber, a filter server, a PNS, and a PWS,
- 720 a first event caused by a subscriber, of the second step according to
15 figure 4, a communication event trigger is supplied to the FS,
- 741 a second event at the FS in response to the first event, of the first
substep of figure 5, a PNS request is supplied to the PNS,
- 743 a third event at the PNS in response to the third event, of the second
substep of figure 5, a PWS request is supplied to the PWS,
- 20 744 a fourth event at the PWS in response to the third event, a data object
is supplied to the FS,
- 745 a fifth event at the FS in response to the fourth event, of the third
substep of figure 5, the data object is pushed to the subscriber.
- 25 FIG 8 a version of an event graph of the flow chart according to figure 6,
between a subscriber, a filter server, and a yellow pages
server/provider,
- 820 a first event caused by a subscriber, of the second step according to
figure 4, a communication event trigger is supplied to the FS,
- 30 847 a second event at the FS in response to the first event, of the first
substep of figure 6, a DA YP request is supplied to the YP,

848 a third event at the YP in response to the second event, of the second substep of figure 6, the data object is pushed to the subscriber.

FIG 9 a flow chart of an alternative method of making a data object
5 available to a subscriber according to the invention, being a possible extension of the fourth step of figure 4,
941 a first substep making a PNS request,
942 from the first substep: a second substep, which makes a PWS request,
943 from the second substep: a third substep, which determines if the
10 subscriber has a limited subscriber reception capability, i.e. is, for example, reception limited to SMS,
944 yes from the third substep: a fourth substep, which adapts the data object to suit the limited reception capability of the subscriber,
945 from the fourth substep, no from the third substep: a fifth substep, in
15 which the data object is pushed to subscriber.

FIG 10 a flow chart of an still another alternative method of making a data object available to a subscriber according to the invention, being a possible extension of the fourth step of figure 4,
20 1041 a first substep, which determines if the subscriber has a limited subscriber reception capability, i.e. is, for example, reception limited to SMS,
1042 yes from the first substep: a second substep making a DA request,
1043 from the second substep: a third substep, in which a data holder
25 pushes data object to subscriber,
1044 no from the first substep: a fourth substep making a PNS request,
1045 from the fourth substep: a fifth substep, which makes a PWS request,
1046 from the fifth substep: a sixth substep, in which the data object is pushed to subscriber.

30 FIG 11 a flow chart of a basic method of a filter server according to the invention,

Huvudfaxen Kassen

- 1110 a first step of associating subscribers of the network of this FS with a type of user communication application, typically none, network based or terminal based,
- 1120 from the first step, or from the fifth step, or no from the second step,
5 or no from the fourth step, or yes from the sixth step, or no from the seventh step: a second step, which determines if there is a communication event trigger or not,
- 1130 yes from the second step: a third step, which determines if a subscriber involved with the communication event trigger belongs to
10 the network of this FS or not,
- 1140 yes from the third step: a fourth step, which determines if a subscriber of this FS involved with the communication event trigger is with a network user communication application or not,
- 1150 yes from the fourth step, or yes from the seventh step: a fifth step,
15 which provides data object retrieval to subscriber with a network user communication application,
- 1160 no from the third step: a sixth step, which determines if the network of the subscriber has an FS,
- 1170 no from the sixth step: a seventh step, which determines if data object
20 retrieval should be provided to external subscriber or not.

2001-08-15

Huvudfaxen Kassan

P67 P10 se SPB

2001-08-15

What is claimed is:

5

1. A method of providing data objects to user communication applications or terminals of subscribers in connection with subscribers establishing communication events with other subscribers, in a network comprising both subscribers with autonomous type user communication applications or terminals that comprise
10 functionality for client based retrieval of data objects and also subscribers with network type user communication applications or terminals that rely on functionality in the network to provide for retrieval of data objects, characterized in that the method comprises the following steps:

- 15 - associating a type of user communication application or terminal with at least one subscriber of the network;
- determining an occurrence of a triggering event indicating a communication event between two subscribers;
- 20 - upon determination of a triggering event, the network providing data object retrieval only to the subscribers with network type user communication applications or terminals.

2. The method according to claim 1, characterized in that the method further comprises the step of:

- 25 - associating a user communication application or terminal capability with at least one subscriber of the network;

and in that the step of the network providing data object retrieval only to the subscribers with network user communication applications or terminals, provides data retrieval in view of an associated user communication application or terminal capability of the subscriber.

30

3. The method according to claim 1 or 2, characterized in that the method further comprises the steps of:

Huvudfaxen Kassar

- associating a functionality type of network with at least one other network, if the other network comprises a functionality according to claim 1;
 - determining if a subscriber involved in the communication event belongs to another network or not and if the subscriber belongs to another network, then
- 5 determining if that network is associated with the functionality type of network, and if it is then letting that other network provide for the functionality according to claim 1.

4. The method according to claim 1 or 2, **characterized in that** the method

10 further comprises the steps of:

- associating a functionality type of network with at least one other network, if the other network comprises a functionality according to claim 1;
 - determining if a subscriber involved in the communication event belongs to another network or not and if the subscriber belongs to another network, then
- 15 determining if that network is associated with the functionality type of network, and if it is not then the network providing data object retrieval to the subscriber in question.

5. The method according to claim 4, **characterized in that** the method further

20 comprises the step of: only providing data objects of a text nature to subscribers belonging to other networks.

6. The method according to claim 4, **characterized in that** the method further

25 comprises the step of: only providing data objects of an audio nature to subscribers belonging to other networks.

7. The method according to any one of claims 1 to 6, **characterized in that** the

step of the network providing data object retrieval further comprises the steps of:

- requesting a phone page number service to determine a phone page web
- 30 server;
- requesting a data object of the phone page web server;

2001-08-15

- providing the data object received from the ^{Huvudfaxen Kasse} phone page web server to the subscriber in question.

8. The method according to any one of claims 1 to 6, **characterized in that** the step of the network providing data object retrieval further comprises the steps of:

- requesting a data holder to provide a data object to the subscriber in question.

9. A filtering server of a communication network arranged to provide data objects to user communication applications or terminals of subscribers in connection with subscribers establishing communication events with other subscribers, the communication network comprising both subscribers with autonomous type user communication applications or terminals that comprise functionality for client based retrieval of data objects and also subscribers with network type user communication applications or terminals that rely on functionality in the network to provide for retrieval of data objects, **characterized in that** the filtering server is arranged to:

- associate a type of user communication application or terminal with subscribers of the network;
- determine an occurrence of a triggering event indicating a communication event between two subscribers;
- upon determination of a triggering event, to provide data object retrieval only to the subscribers with network type user communication applications or terminals.

10. A filtering server of a telecommunications network to provide data object retrieval to one or more subscribers of the telecommunications network, **characterized in that** the filtering server is:

- arranged to intercept call set-up control for bearer channels between a caller and a callee;
- arranged to determine a caller and a caller profile;
- arranged to arrange for a callee data object to be made available to caller if the caller profile indicates filtering server retrieval of the callee data object;

1

-
- A 10x10 grid of dots where the number 10 is formed by black dots. The '1' is a vertical column of 10 dots in the 4th column from the left. The '0' is an 8x8 square of dots in the bottom-right corner, with its top-left corner at the 2nd row and 6th column. The top-left corner of the grid (rows 1-2, columns 1-5) is empty.

2001-08-15

Huvudfaxen Kassan

P67 p10 sc SPB

2001-08-15

ABSTRACT

5

A method and a system which provide means to enable terminal equipment that relies on network based retrieval of data objects and terminal equipment that comprises data object retrieval capability, to coexist and interact with each other on the same communication network. This is accomplished by a filtering server on the
10 network that at least knows which terminals require network based retrieval and only gives these terminals network based data object retrieval.

(Fig. 3)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173

1/8




Fig. 1




Fig. 2

2/8




Fig. 3

3/8




Fig. 4

4/8




Fig. 5




Fig. 6

5/8




Fig. 7A




Fig. 7B




Fig. 8

6/8




Fig. 9

7/8




Fig. 10

8/8




Fig. 11